



BIRD CONTROL CATALOGUE

Products for effective bird control



TONI Bird Control Solutions GmbH & Co. KG

Jörg Nitzsche

Offenbacher Landstrasse 74
60599 - Frankfurt am Main

Phone.: +49 69 4800 9779

E- Mail: info@birdcontrolsolutions.net

www.birdcontrolsolutions.net

Nettings

Netting provides safe protection from landing birds. Netting is available in various materials: plastic, textile or stainless steel.

There are two methods for fixing netting: with high performance bonding agent or alternatively with a tensioned steel cable frame – which requires boring or clamping.



Article- Nr.: N-3901

PE netting, black or stone coloured

black, 50mm mesh, 1 unit = 5mx5m

33.32 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

| | |
|-----------------------------------|------------------|
| black, 50mm mesh, 1 unit 10mx10m | 133.28 € |
| black, 50mm mesh, 1 unit 20mx20m | 533.12 € |
| black, 50mm mesh, 1 unit 10mx100m | 1332.80 € |
| stone, 50mm mesh, 1 unit 5mx5m | 33.32 € |
| stone, 50mm mesh, 1 unit 10mx10m | 133.28 € |
| stone, 50mm mesh, 1 unit 20mx20m | 533.12 € |
| stone, 50mm mesh, 1 unit 10mx100m | 1332.80 € |
| black, 19mm mesh, 1 unit 5mx5m | 83.90 € |
| black, 19mm mesh, 1 unit 10mx10m | 335.58 € |
| black, 19mm mesh, 1 unit 20mx20m | 1285.20 € |
| stone, 19mm mesh, 1 unit 5mx5m | 83.90 € |
| stone, 19mm mesh, 1 unit 10mx10m | 335.58 € |
| black, 50mm mesh, 1 unit = 5mx5m | 33.32 € |

Article Description

- Ultra- light plastic netting with 1.2mm thread size in differently cut sizes and two mesh sizes 50mm x 50mm and 19mm x 19mm
- The netting provides secure protection against approaching birds. There are different types available.
- Cable frames are anchored by drilling to suitable positions and tensioned.
- The netting is fixed to the cable frame by ring clips.
- UV and moisture- resistant polyethylene is used. The material is chemical- proof and rotting resistant.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-0201

Antec netting for adhesive technology, 50 x 50 mm mesh

1 unit = 3 m x 10 m

57.83 € per unit

incl. 19 % VAT. plus delivery

Delivery in 5-7 working days

Order a sample!

Article types:

| | |
|-----------------------|------------------|
| 1 unit = 6 m x 100 m | 621.18 € |
| 1 unit = 12 m x 100 m | 1242.36 € |
| 1 unit = 3 m x 10 m | 57.83 € |

Article Description

- Ultra- light plastic netting for bonding to all substrates (except wood).
- Adhesive holders are bonded to pre- cleaned and primed points with a two- component special adhesive.
- After curing the netting can be hung directly in the holders. They are secured further with cable binders.
- The fixing is weather and temperature dependent. The special adhesive requires a working temperature of at least 5°C.
- Only ultra- light netting, weighing 12g/ m2 (50 mm x 50 mm mesh), can be used for this method. The netting complies with Incendiary Material Class B1.
- The netting is hung taught and can be easily removed for maintenance purposes.
- The netting is suitable for medium to high populations.

Installationvideo

Um diesen Film anzuzeigen muss Javascript aktiviert
und der **Flash Player** installiert sein.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Special Adhesive [S-1101], Plastic holders for fixing netting [N-1201], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Netting scissors [N-2601], Netting funnel [N-43]



Article- Nr.: N-0101

Antec netting for adhesive technology 18 x 18 mm mesh

1 unit = 3 m x 10 m

105.67 € per unit

incl. 19 % VAT. plus delivery

Delivery in 5-7 working days

Article types:

| | |
|---------------------|-----------------|
| 1 unit = 6m x 50m | 788.97 € |
| 1 unit = 3 m x 10 m | 105.67 € |

Article Description

- Ultra- light plastic netting for bonding to all substrates (except wood).
- Adhesive holders are bonded to pre- cleaned and primed points with a two- component special adhesive.
- After curing the netting can be hung directly in the holders. They are secured further with cable binders.
- The fixing is weather and temperature dependent. The special adhesive requires a working temperature of at least 5°C.
- Only ultra- light netting, weighing 12g/ m2 (18 mm x 18 mm mesh), can be used for this method. The netting complies with Incendiary Material Class B1.
- The netting is hung taught and can be easily removed for maintenance purposes.
- The netting is suitable for medium to high populations.

Installationvideo

Um diesen Film anzuzeigen muss Javascript aktiviert
und der **Flash Player** installiert sein.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Special Adhesive [S-1101], Plastic holders for fixing netting [N-1201], Ring clips [N-1401],
Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Netting scissors [N-2601],
Netting funnel [N-43]



Article- Nr.: N-0303

PE Netting, black

50 x 50 mm mesh

from 1.43 € per m²

incl. 19 % VAT. plus delivery

Ex- stock

Prices:

| | |
|---|---------------|
| 1m ² - 999m ² | 2.26 € |
| 1000m ² - 1999m ² | 1.64 € |
| from 2000m ² | 1.43 € |

Article types:

| | |
|-----------------|--------------------|
| MW 20 x 20mm | from 4.40 € |
| MW 30 x 30mm | from 3.45 € |
| 50 x 50 mm mesh | from 1.43 € |

Article Description

- PE netting, black, complies with Incendiary Class B1.
- The netting provides secure protection against approaching birds. There are different types available.
- Cable frames are anchored by drilling to suitable positions and tensioned.
- The netting is fixed to the cable frame by ring clips.
- UV and moisture- resistant materials are used. With the materials, consideration is given to protection against fire. We recommend our difficult to ignite netting in accordance with Incendiary Class B1.
- Delivery time: Your order is important and we will do our best to deliver promptly. Depending on your concrete nets measurements, the delivery time can take up to 2 weeks. We kindly ask for your understanding.
- Measurements: Length/ width must be at least 1.0 meter. The length may be up to 5 times the measure of the width. If you need other measurements, please order several nets.

Example:

Desired net measurements: 25.0m x 2.0m

Possible net measurements: 2 nets of 10.0m x 2.0m each, 1 net 5.0m x 2.0m

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-0403

PE Netting, stone colour

50 x 50 mm mesh

from 1.67 € per m²

incl. 19 % VAT. plus delivery

Ex- stock

Prices:

| | |
|---|---------------|
| 1m ² - 999m ² | 2.76 € |
| 1000m ² - 1999m ² | 2.02 € |
| from 2000m ² | 1.67 € |

Order a sample!

Article types:

| | |
|-----------------|--------------------|
| 20 x 20 mm mesh | from 4.40 € |
| 30 x 30 mm mesh | from 3.45 € |
| 50 x 50 mm mesh | from 1.67 € |

Article Description

- PE netting, stone colour, complies with Incendiary Class B1.
- The netting provides secure protection against approaching birds. There are different types available.
- Cable frames are anchored by drilling to suitable positions and tensioned.
- The netting is fixed to the cable frame by ring clips.
- UV and moisture- resistant materials are used. With the materials, consideration is given to protection against fire. We recommend our difficult to ignite netting in accordance with Incendiary Class B1.
- Delivery time: Your order is important and we will do our best to deliver promptly. Depending on your concrete nets measurements, the delivery time can take up to 2 weeks. We kindly ask for your understanding.
- Measurements: Length/ width must be at least 1.0 meter. The length may be up to 5 times the measure of the width. If you need other measurements, please order several nets.

Example:

Desired net measurements: 25.0m x 2.0m

Possible net measurements: 2 nets of 10.0m x 2.0m each, 1 net 5.0m x 2.0m

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-0602

PE netting, black- red

50 x 50 mm mesh

from 1.79 € per m²

incl. 19 % VAT. plus delivery

Ex- stock

Prices:

| | |
|---|---------------|
| 1m ² - 999m ² | 2.62 € |
| 1000m ² - 1999m ² | 2.02 € |
| from 2000m ² | 1.79 € |

Order a sample!

Article types:

| | |
|-----------------|--------------------|
| 20 x 20 mm mesh | from 4.88 € |
| 50 x 50 mm mesh | from 1.79 € |

Article Description

- PE netting, black- red, complies with Incendiary Class B1.
- The netting provides secure protection against approaching birds. There are different types available.
- Cable frames are anchored by drilling to suitable positions and tensioned.
- The netting is fixed to the cable frame by ring clips.
- UV and moisture- resistant materials are used. With the materials, consideration is given to protection against fire. We recommend our difficult to ignite netting in accordance with Incendiary Class B1.
- Delivery time: Your order is important and we will do our best to deliver promptly. Depending on your concrete nets measurements, the delivery time can take up to 2 weeks. We kindly ask for your understanding.
- Measurements: Length/ width must be at least 1.0 meter. The length may be up to 5 times the measure of the width. If you need other measurements, please order several nets.

Example:

Desired net measurements: 25.0m x 2.0m

Possible net measurements: 2 nets of 10.0m x 2.0m each, 1 net 5.0m x 2.0m

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-0702

Monofil nylon netting, 0.4 mm diameter, transparent

30 x 30 mm mesh

3.81 € per m²

incl. 19 % VAT. plus delivery

Ex- stock

Order a sample!

Article types:

| | |
|-----------------|---------------|
| 20 x 20 mm mesh | 4.76 € |
| 30 x 30 mm mesh | 3.81 € |

Article Description

- Monofil nylon netting, 0.4 mm diameter, transparent.
 - The netting provides secure protection against approaching birds. There are different types available.
 - Cable frames are anchored by drilling to suitable positions and tensioned.
 - The netting is fixed to the cable frame by ring clips.
 - UV and moisture- resistant materials are used.
- Delivery time: Your order is important and we will do our best to deliver promptly. Depending on your concrete nets measurements, the delivery time can take up to 2 weeks. We kindly ask for your understanding.
 - Measurements: Length/ width must be at least 1.0 meter. The length may be up to 5 times the measure of the width. If you need other measurements, please order several nets.
- Example:
- Desired net measurements: 25.0m x 2.0m
- Possible net measurements: 2 nets of 10.0m x 2.0m each, 1 net 5.0m x 2.0m

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-0802

Monofil nylon netting, 0.6 mm diameter, transparent

50 x 50 mm mesh

5.12 € per m²

incl. 19 % VAT. plus delivery

Ex- stock

Order a sample!

Article types:

| | |
|-----------------|---------------|
| 30 x 30 mm mesh | 6.22 € |
| 50 x 50 mm mesh | 5.12 € |

Article Description


- Monofil nylon netting, 0.6 mm diameter, transparent.
- The netting provides secure protection against approaching birds. There are different types available.
- Cable frames are anchored by drilling to suitable positions and tensioned.
- The netting is fixed to the cable frame by ring clips.
- UV and moisture- resistant materials are used.
- Delivery time: Your order is important and we will do our best to deliver promptly. Depending on your concrete nets measurements, the delivery time can take up to 2 weeks. We kindly ask for your understanding.
- Measurements: Length/ width must be at least 1.0 meter. The length may be up to 5 times the measure of the width. If you need other measurements, please order several nets.
Example:
Desired net measurements: 25.0m x 2.0m
Possible net measurements: 2 nets of 10.0m x 2.0m each, 1 net 5.0m x 2.0m

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-09

Sparrow netting

Netting 12 m x 2.5 m, 15 x 15 mm mesh

447.44 € per roll

incl. 19 % VAT. plus delivery

Ex- stock

Article Description

Extra small mesh netting especially made for capturing sparrows. The sparrows cannot get caught up in, or fly through, the netting.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-1003

V2A netting, 0.7mm wire diameter

Netting 1m x 25m, 30 x 30mm mesh

332.01 € per roll

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

| | |
|------------------------------------|------------------|
| Netting 1m x 25m, 10 x 10mm mesh | 902.32 € |
| Netting 1.5m x 50m, 25 x 40mm mesh | 1052.27 € |
| Netting 1.5m x 25m, 30 x 30mm mesh | 498.02 € |
| Netting 1m x 25m, 30 x 30mm mesh | 332.01 € |

Article Description

Stainless steel V2A netting is spot welded, material class 1.4301. It is intended for use over large areas. The protecting of windows, ornaments or entire facades can be expertly carried out with this high quality material.

The material is supplied in rolls. You may order cut lengths of this netting [HERE](#).

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-1101

V2A netting, 1.0mm wire diameter

Netting 1m x 25m, 19 x 19mm mesh

639.92 € per roll

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

| | |
|------------------------------------|------------------|
| Netting 1m x 25m, 30 x 30mm mesh | 460.53 € |
| Netting 1.5m x 25m, 30 x 30mm mesh | 690.80 € |
| Netting 1.5m x 50m, 50 x 50mm mesh | 1100.45 € |
| Netting 1m x 25m, 19 x 19mm mesh | 639.92 € |

Article Description

Stainless steel V2A netting is spot welded, material class 1.4301. It is intended for use over large areas. The protecting of windows, ornaments or entire facades can be expertly carried out with this high quality material.

The material is supplied in rolls. You may order cut lengths of this netting [HERE](#).

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]



Article- Nr.: N-3801

Multifil Nylon Netting, Ultra-stable with stainless steel wire twisted in

1.3 mm yarn diameter, 50 x 50 mm mesh

11.39 € per m²

incl. 19 % VAT. plus delivery

Delivery in 5-7 working days

Order a sample!

Article types:

| | |
|---------------------------------------|----------------|
| 1.3 mm yarn diameter, 40 x 40 mm mesh | 11.79 € |
| 1.3 mm yarn diameter, 30 x 30 mm mesh | 12.36 € |
| 1.3 mm yarn diameter, 50 x 50 mm mesh | 11.39 € |

Article Description

Properties:

- knotted nylon multifil netting with stainless steel wire twisted in. The wire makes the netting more resistant to abrasion. It is suitable for covering silos etc in the agricultural sector.
- EV- stable.
- Olive green impregnated.
- B1 flame retardant.
- The netting provides protection from approaching birds.

Processing:

- Steel cable frames are anchored by boring at suitable points and tensioned.
- The netting is attached to the cable frame by ring clips.

Types:

- 30 x 30 mm mesh, 1.3 mm diameter, 87 g/ m²
- 40 x 40 mm mesh, 1.3 mm diameter, 65 g/ m²
- 50 x 50 mm mesh, 1.3 mm diameter, 52 g/ m²

Delivery time:

- Your order is important and we will do our best to deliver promptly. Depending on your concrete nets measurements, the delivery time can take up to 4 weeks. We kindly ask for your understanding.

Measurements:

- Length/ width must be at least 1.0 meter. The length may be up to 5 times the measure of the width. If you need other measurements, please order several nets.

Example:

Desired net measurements: 25.0m x 2.0m

Possible net measurements: 2 nets of 10.0m x 2.0m each, 1 net 5.0m x 2.0m

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Eye Screw, 100 pieces [D-0803], Ring clips [N-1401], Ring clip pincers [N-15], Zip for netting [N-1601], Netting clips [N-1701], Stainless steel cable [N-1801], Galvanised cable [N-19], Clamp, 10 pieces [N-2001], Simplex clamp, 10 pieces [N-2101], Turnbuckle, 10 pieces [N-2201], Wire connectors, 100 pieces [N-2405], Beam Clamp, 100 pieces [N-2501], Netting scissors [N-2601], Magnets for attaching netting [N-33], Holders for PE nettings [N-4001], Netting funnel [N-43]

Delivery costs

Our delivery costs are as follows

Delivery costs by weight

| COUNTRY | up to 5kg | from 5kg to 10kg | from 10kg to 20kg | from 20kg to 31,5kg |
|--|----------------------|----------------------|----------------------|----------------------|
| Germany | 8,40 Euro incl. VAT | 8,40 Euro incl. VAT | 13,40 Euro incl. VAT | 15,40 Euro incl. VAT |
| Switzerland / Norway | 31,50 Euro | 36,50 Euro | 46,50 Euro | 56,50 Euro |
| Austria, Belgium, Denmark, Finland, France, Greece, UK, Ireland, Italy, Netherlands, Sweden, Spain, Slovenia, Czech Republik | 18,50 Euro incl. VAT | 23,50 Euro incl. VAT | 33,50 Euro incl. VAT | 43,50 Euro incl. VAT |

Its only possible to order up to 31.5 kg in the online- store. When you have a larger order, please call or email us.

--

Special delivery costs for Birdsticker:

| Number of Birdsticker | national delivery | international delivery (EU) | Switzerland / Norway |
|-----------------------|---------------------|---------------------------------------|----------------------|
| 1-10 Sets | 2,95 Euro incl. VAT | 4,95 Euro incl. VAT | 4,95 Euro |
| 11-30 Sets | 3,70 Euro incl. VAT | 8,50 Euro incl. VAT | 8,50 Euro |
| 31-150 Sets | 8,40 Euro incl. VAT | see shipping costs package up to 5kg | |
| 151-300 Sets | 8,40 Euro incl. VAT | see shipping costs package up to 10kg | |

--

For deliveries in Non EU countries you have additional duties, fees and taxes. For more information on customs duties, click [here](#).

Information on [import taxes](#).

Special tarif provisions for Switzerland at this [link](#).

Terms of delivery

Here you can view our general terms of delivery.

General terms of delivery

§1 Allgemeines

1.1 Nachstehende Allgemeine Geschäftsbedingungen gelten für alle Verträge, Lieferungen und sonstige Leistungen. Abweichenden Vorschriften des Vertragspartners widersprechen wir hiermit ausdrücklich. Die TONI Bird Control Solutions GmbH & Co. KG (nachfolgend "TONI" genannt) ist jederzeit berechtigt, diese Allgemeinen Geschäftsbedingungen einschließlich aller eventuellen Anlagen mit einer angemessenen Kündigungsfrist zu ändern oder zu ergänzen. Vorher eingehende Aufträge werden nach den dann noch gültigen alten Allgemeinen Geschäftsbedingungen bearbeitet

1.2 Sie haben die Möglichkeit, den Kaufvertrag in deutscher oder englischer Sprache abzuschließen.

§2 Angebot

Unsere Angebote sind unverbindlich. Kleine Abweichungen und technische Änderungen gegenüber unseren Abbildungen oder Beschreibungen sind möglich. Der jeweilige Katalog verliert mit Erscheinen einer Neuausgabe seine Gültigkeit.

2.1 Sollte TONI nachträglich erkennen, dass sich ein Fehler z. B. bei den Angaben zu einem Produkt, zu einem Preis oder zu einer Lieferbarkeit eingeschlichen hat, wird TONI den Kunden hiervon umgehend informieren. Dieser kann den Auftrag unter den abgeänderten Konditionen nochmals bestätigen. Andernfalls ist TONI zum Rücktritt vom Vertrag berechtigt.

§3 Bestellung, Lieferung, Versand und Zahlung

3.1 Die Darstellung der Produkte im Online- Shop stellt kein rechtlich bindendes Angebot, sondern einen unverbindlichen Online- Katalog dar. Durch Anklicken des Buttons „kaufen“ geben Sie eine verbindliche Bestellung der im Warenkorb enthaltenen Waren ab. Die Bestätigung des Eingangs Ihrer Bestellung erfolgt zusammen mit der Annahme der Bestellung nach dem Absenden per E- Mail. Mit dieser E- Mail- Bestätigung ist der Kaufvertrag zustande gekommen.

3.2 Die Lieferungs- und Zahlungsbedingungen von TONI sind im Bestellformular näher ausgewiesen. Es gibt eine Mindestbestellmenge, die jederzeit angepasst werden kann. Produkte, die im Zuschnitt oder als Sonderanfertigung bestellt werden, sind von der Rücknahme ausgeschlossen. Es bleibt uns vorbehalten, eine Teillieferung in einen für Sie zumutbaren Rahmen vorzunehmen, sofern dies für eine zügige Abwicklung vorteilhaft erscheint. Zusätzliche Versandkosten entstehen nur bei ausdrücklicher Vereinbarung.

3.3 Sie können wahlweise per Vorkasse, Zahlung mit Kreditkarte, Paypal und auf Rechnung zahlen. Für Letzteres sind die Zahlungsbedingungen im Bestellformular ausgewiesen. Die Belastung Ihres Kreditkartenkontos erfolgt mit Abschluss der Bestellung. Die Lieferung ins nichteuropäische Ausland erfolgt nur zu den von TONI vorher berechneten Versand- und Verpackungskosten.

3.4 Sie haben die Möglichkeit, den Kaufvertrag in deutscher oder englischer Sprache abzuschließen.

§4 Lieferfrist

Falls die Nichteinhaltung einer Liefer- oder Leistungsfrist auf höhere Gewalt, unvorhersehbare Hindernisse oder sonstige von uns nicht zu vertretende Umstände zurückzuführen ist, wird die Frist angemessen verlängert. Bei Nichteinhaltung der Lieferfrist aus anderen als den o. g. Gründen ist der Käufer berechtigt, schriftlich eine angemessene Nachfrist mit Ablehnungsandrohung zu setzen und nach deren erfolglosem Ablauf hinsichtlich der im Vertrag befindlichen Lieferung oder Leistung vom Vertrag zurückzutreten. Beruht die Unmöglichkeit der Lieferung auf Unvermögen des Herstellers oder unseres Zulieferers, so können sowohl wir als auch der Käufer vom Vertrag zurücktreten, sofern der vereinbarte Liefertermin um mehr als 2 Monate überschritten ist.

Schadensersatzansprüche wegen Verzug oder Unmöglichkeit bzw. Nichterfüllung, auch solche, die bis zu Rücktritt vom Vertrag entstanden sind, sind ausgeschlossen.

§5 Gefahrübergang

Verbraucher: Sofern Sie als Verbraucher handeln erfolgt die Lieferung auf Gefahr von TONI. Der Gefahrübergang an den Kunden findet gemäß §474 Abs. 2 BGB bei Übergabe der Lieferung, durch das Transportunternehmen, an den Kunden statt.

Unternehmen: Sofern Sie als Unternehmer handeln erfolgt die Lieferung der Ware auf Gefahr des Kunden. Die Gefahr geht mit Übergabe der Ware an das Transportunternehmen auf den Kunden über. Dies gilt auch, wenn TONI die Transportkosten übernommen hat. Beanstandungen wegen Transportschäden (z.B. beschädigte Verpackung beim Empfang der Ware) hat der Kunde unmittelbar gegenüber dem Transportunternehmen innerhalb der dafür vorgesehenen Fristen geltend zu machen.

§6 Gewährleistung

TONI gewährleistet, dass die verkaufte Ware zum Zeitpunkt des Gefahrüberganges frei von Material- und Fabrikationsfehlern ist und die vertraglich zugesicherten Eigenschaften hat. Die Gewährleistung beträgt 24 Monate ab Auslieferung. Bei Reklamationen muss das Kaufdatum mit einer Rechnung nachgewiesen werden. Der reklamierte Artikel muss zusammen mit einer Kopie der Rechnung, ausreichend frankiert, eingeschickt werden. TONI behält sich Abweichungen gegenüber von Shop- und/ oder Prospektabbildungen vor. Diese Abweichungen wie auch handelsübliche Abweichungen hinsichtlich Farbe, Menge oder Gewicht gelten nicht als Mängel und lösen keine Gewährleistungsansprüche aus. Die Gewährleistung erstreckt sich nicht auf den normalen Verschleiß oder die Abnutzung. Die Gewährleistung erlischt, wenn der Kunde die gelieferte Ware verändert. TONI hat während der Gewährleistungspflicht das Recht auf kostenlose Nachbesserung. Ein teilweiser oder vollständiger Austausch des Artikels ist zulässig. Werden Mängel innerhalb angemessener Frist nicht behoben, so hat der Käufer Anspruch auf Wandlung oder Minderung..

§7 Haftung

TONI übernimmt keine Haftung für gelieferte Ware, die nach der Versendung oder Abholung durch den Käufer oder Dritte verändert, umgebaut oder in sonstiger Weise manipuliert worden ist. Für Schäden jeglicher Art, die durch eine vorsätzliche oder fahrlässig vom Kunden verschuldete Beeinträchtigung der von uns gelieferten Produkte entstehen, übernehmen wir keine Haftung. Ansprüche des Kunden auf Schadensersatz, z.B. wegen Nichterfüllung, Verschulden bei Vertragsschluss, Verletzung vertraglicher Nebenverpflichtungen, Mangelfolgeschäden, Schäden aus unerlaubter Handlung und sonstigen Rechtsgründen sind ausgeschlossen. Ausnehmend davon haftet TONI beim Fehlen einer zugesicherten Eigenschaft, bei Vorsatz oder grober Fahrlässigkeit. Ansprüche aus dem Produkthaftungsgesetz sind davon nicht betroffen. TONI übernimmt weder eine Haftung für die ständige und ununterbrochene Verfügbarkeit von www.Vogelabwehr.de noch für technische oder elektronische Fehler des Online- Angebots.

§8 Eigentumsvorbehalt

Bis zur vollständigen Bezahlung bleibt die Ware Eigentum der Firma TONI.

§9 Genehmigungshinweis

Der Einsatz der bestellten Ware/ des bestellten Gerätes bedarf möglicherweise, z.B. aus bauordnungs- oder naturschutzrechtlichen Gründen, einer Genehmigung. TONI übernimmt keinerlei Gewähr bzw. Haftung dafür, dass eine etwa erforderliche Genehmigung erteilt und der Einsatz am Standort erfolgen kann.

§10 Druckfehler

Druckfehler, Fehler auf den Internetseiten sowie Preisänderungen vorbehalten. Angebot freibleibend. Außerdem distanzieren wir uns von allen weiterführenden Links (auf der gesamten Homepage und auf den Ebayseiten).

§11 Kostentragungsvereinbarung

Machen Sie von Ihrem Widerrufsrecht Gebrauch, haben Sie die regelmäßigen Kosten der Rücksendung zu tragen, wenn die gelieferte Ware der bestellten entspricht und wenn der Preis der zurückzusendenden Sache

einen Betrag von 40 Euro nicht übersteigt oder wenn Sie bei einem höheren Preis der Sache zum Zeitpunkt des Widerrufs noch nicht die Gegenleistung oder eine vertraglich vereinbarte Teilzahlung erbracht haben. Anderenfalls ist die Rücksendung für Sie kostenfrei.

§12 Jugendschutz

Der Verkauf unserer Waren erfolgt nur an volljährige, unbeschränkt geschäftsfähige Personen. Mit Aufgabe Ihrer Bestellung und der Überweisung des Betrags bestätigen Sie, dass Sie das 18. Lebensjahr vollendet haben, und dass Sie, bzw. eine volljährige Person die bestellte Ware entgegen nehmen wird. Zur Sicherstellung der gesetzlichen Verkaufsbeschränkungen ist das ausliefernde Unternehmen berechtigt, die Übergabe der Waren von der Vorlage eines Personalausweises abhängig zu machen. Der Kunde stellt TONI von Ansprüchen Dritter frei, die TONI aus der Verletzung der Verpflichtung des Kunden nach Ziffer 1 erwachsen.

Right of withdrawal

Hier können Sie unsere Allgemeinen Lieferbedingungen einsehen.

Widerrufsbelehrung

FÜR VERBRAUCHER:

Verbraucher ist jede natürliche Person, die ein Rechtsgeschäft zu Zwecken abschließt, die überwiegend weder ihrer gewerblichen noch ihrer selbständigen beruflichen Tätigkeit zugerechnet werden können.

Widerrufsrecht

Sie haben das Recht, binnen vierzehn Tagen ohne Angabe von Gründen diesen Vertrag zu widerrufen. Die Widerrufsfrist beträgt vierzehn Tage ab dem Tag, an dem Sie oder ein von Ihnen benannter Dritter, der nicht der Beförderer ist, die Waren in Besitz genommen haben bzw. hat. Um Ihr Widerrufsrecht auszuüben, müssen Sie uns (TONI Bird Control Solutions GmbH & Co. KG, Offenbacher Landstrasse 74, 60599 Frankfurt, Fax. 069 4800 9778, Mail: info@vogelabwehr.de) mittels einer eindeutigen Erklärung (z.B. ein mit der Post versandter Brief, Telefax oder E-Mail) über Ihren Entschluss, diesen Vertrag zu widerrufen, informieren. Sie können dafür das beigefügte Muster-Widerrufsformular verwenden, das jedoch nicht vorgeschrieben ist. Zur Wahrung der Widerrufsfrist reicht es aus, dass Sie die Mitteilung über die Ausübung des Widerrufsrechts vor Ablauf der Widerrufsfrist absenden.

Folgen des Widerrufs

Wenn Sie diesen Vertrag widerrufen, haben wir Ihnen alle Zahlungen, die wir von Ihnen erhalten haben, einschließlich der Lieferkosten (mit Ausnahme der zusätzlichen Kosten, die sich daraus ergeben, dass Sie eine andere Art der Lieferung als die von uns angebotene, günstigste Standardlieferung gewählt haben), unverzüglich und spätestens binnen vierzehn Tagen ab dem Tag zurückzuzahlen, an dem die Mitteilung über Ihren Widerruf dieses Vertrags bei uns eingegangen ist. Für diese Rückzahlung verwenden wir dasselbe Zahlungsmittel, das Sie bei der ursprünglichen Transaktion eingesetzt haben, es sei denn, mit Ihnen wurde ausdrücklich etwas anderes vereinbart; in keinem Fall werden Ihnen wegen dieser Rückzahlung Entgelte berechnet. Wir können die Rückzahlung verweigern, bis wir die Waren wieder zurückerhalten haben oder bis Sie den Nachweis erbracht haben, dass Sie die Waren zurückgesandt haben, je nachdem, welches der frühere Zeitpunkt ist. Sie haben die Waren unverzüglich und in jedem Fall spätestens binnen vierzehn Tagen ab dem Tag, an dem Sie uns über den Widerruf dieses Vertrags unterrichten, an uns zurückzusenden oder zu übergeben. Die Frist ist gewahrt, wenn Sie die Waren vor Ablauf der Frist von vierzehn Tagen absenden. Sie tragen die unmittelbaren Kosten der Rücksendung der Waren. Sie müssen für einen etwaigen Wertverlust der Waren nur aufkommen, wenn dieser Wertverlust auf einen zur Prüfung der Beschaffenheit, Eigenschaften und Funktionsweise der Waren nicht notwendigen Umgang mit ihnen zurückzuführen ist..

Ausschluss bzw. vorzeitiges Erlöschen des Widerrufsrechts

Das Widerrufsrecht besteht nicht bei Verträgen

- zur Lieferung von Waren, die nicht vorgefertigt sind und für deren Herstellung eine individuelle Auswahl oder Bestimmung durch den Verbraucher maßgeblich ist oder die eindeutig auf die persönlichen Bedürfnisse des Verbrauchers zugeschnitten sind;

Das Widerrufsrecht erlischt vorzeitig bei Verträgen

- zur Lieferung versiegelter Waren, die aus Gründen des Gesundheitsschutzes oder der Hygiene nicht zur Rückgabe geeignet sind, wenn ihre Versiegelung nach der Lieferung entfernt wurde;
- zur Lieferung von Waren, wenn diese nach der Lieferung auf Grund ihrer Beschaffenheit untrennbar mit anderen Gütern vermischt wurden;
- zur Lieferung von Ton- oder Videoaufnahmen oder Computersoftware in einer versiegelten Packung, wenn die Versiegelung nach der Lieferung entfernt wurde.

Widerrufsformular

Für den Widerruf können Sie auch unser Widerrufsformular nutzen (bitte auf Link klicken, ausfüllen und

Für den Widerruf können Sie auch unser Widerrufsformular nutzen (links auf einer Karte, gedruckt und zusenden).

FÜR GEWERBLICHE / KOMMUNALE KÄUFER:

Widerrufsrecht

Für gewerbliche und kommunale Kunden gewähren wir kein Widerrufsrecht.

Approval notice

Please note the following information.

Approval notice

The use of the ordered goods / the bought device may require, for example, a permit for building regulations or nature protection laws. TONI assumes no responsibility or liability for the possible need permission granted and may be of use at the site.