



BIRD CONTROL CATALOGUE

Products for effective bird control



TONI Bird Control Solutions GmbH & Co. KG

Jörg Nitzsche

Offenbacher Landstrasse 74
60599 - Frankfurt am Main

Phone.: +49 69 4800 9779

E- Mail: info@birdcontrolsolutions.net

www.birdcontrolsolutions.net

Electrical systems

With electrical systems pigeons receive an uncomfortable but harmless electrical impulse, which drives them away. Electrical impulse systems work on the same principle as meadow electrical fences.

There are in principle two basic versions: rod and profile. There are also several special versions for specific purposes.

Electrical systems are amongst the most effective control methods.



Article- Nr.: E-01

TONI IS P2 Electrical System

Complete set, unit: 30 m

349.86 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Order a sample!

Article Description

The TONI ES P2 Electrical System is a simple, but effective, electrical bird control system. The bird gets an effective electric shock on landing and is repelled. The system works on the meadow fence principle. It does not injure birds.

The system comprises of two parallel metal rods assembled on UV- resistant plastic holders. The plastic holders can be bonded, screwed or riveted.

The areas protected are then always avoided by pigeon populations.

A complete set (sufficient for 30 running metres) comprises of:

- | | | |
|---|----------------------|---------------|
| • Stainless steel rods, 2 mm Ø, 1.50 m long | 40 pieces | |
| • Plastic holders, UV- resistant | | 90 pieces |
| • Connecting spring, stainless steel | | 2 units @ 100 |
| pieces | | |
| • Connecting sleeve 3 x 30, stainless steel or copper | 2 units @ 100 pieces | |
| • Sleeves for wiring 5 x 7, stainless steel or copper | 2 units @ 100 pieces | |

Current calibrator, high voltage cabling and other wiring is not included in a set.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Special Adhesive [S-1101], Primer [C-3101], V2A Rod TONI ES P2 [E-01-01],
 TONI ES P2 Plastic Holder [E-01-02], Connecting Spring TONI ES P2 [E-01-03],
 Connecting Sleeve TONI ES P2 [E-01-0402], Ferrule for Wiring TONI ES P2 [E-01-05],
 Shrink Tubing TONI ES P2 [E-01-06], Power Supply, 2-wire [E-0801], Digital System Tester [E-10],
 Warning Sign [E-1101], Rain Guard [E-12], Lightning Switch [E-13], Lightning Choke [E-14],
 Power Monitor [E-0906]

Article- Nr.: E-1701



K60 Electrical System

K60 light grey, 1 pcs = 10 m

142.80 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

K-60 anthracite, 1 pcs = 10 m	142.80 €
K60 light grey, 1 pcs = 10 m	142.80 €

Article Description

The new Electrical system K60 is a true innovation in bird control. It consists of

- a UV- and weather proof grey/ black PVC- profile, which is easy to to form
- two extra wide aluminum conductors, which are fixed on the profile

The K60- system is 9mm high and 33mm wide. K60 is manufactured on a 10m long role. It can be easily installed. Surfaces must be pre- cleaned, dust- and oilfree and dry.

The K-60 electrical system is available in grey and anthracite. Other colours are available (minimum order quantity 500m, delivered in 5m roles, additional price per meter: 1.30 + VAT if applicable).



Adequate surfaces: metal, glass, stone, tiles, asphalt, marble, laminated wood and steel.

The system should be cleaned on a yearly basis (maintenance contract). For an effective pigeon control, K60 can be installed 25mm behind the attic. For smaller birds, K60 should be installed directly on the attic.

Practical Applications:

The system in practice: [REFERENZEN](#)

Accessories

Special Adhesive [S-1101], Primer [C-3101], Power Supply, 2-wire [E-0801], Digital System Tester [E-10], Warning Sign [E-1101], Rain Guard [E-12], Lightning Switch [E-13], Lightning Choke [E-14], Wire connectors, 100 pieces [N-2405], Power Monitor [E-0906]



Article- Nr.: E-0301

TAPO Electrical System

Complete set, light grey, 30 m

589.05 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

Complete set, black, unit = 30 m	589.05 €
Complete set, light grey, 30 m	589.05 €

Article Description

This system is specially designed for use on cornices, guttering, snow guards and structural design features.

It comprises of robust plastic profile with two conductor tracks.

The profile is very flexible and can therefore absorb any expansion stresses.

The roof- shaped concept ensures water drainage.

A complete set (sufficient for 30 running metres) comprises of:

- 30 m electrical profile light grey/ black
- 200 holders
- 100 butt connectors 6 mm²


Current calibrator, high voltage cabling and other wiring is not included in a set.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Special Adhesive [S-1101], Primer [C-3101], TAPO Electrical Profile [E-03-0101], TAPO Spacers [E-03-0201], TAPO Butt Connectors [E-03-03], Power Supply, 2-wire [E-0801], Digital System Tester [E-10], Warning Sign [E-1101], Rain Guard [E-12], Lightning Switch [E-13], Lightning Choke [E-14], Power Monitor [E-0906]



Article- Nr.: E-0501

Easy- Fix Electrical System

Complete set, 2rows, 40 m

456.96 € per Unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

Version for gutterings, 40m	471.24 €
Complete set, 2rows, 40 m	456.96 €

Article Description

Module length: 1 metre

The stainless steel strips are pre- drilled, so they can be bonded, screwed or riveted.

The individual modules are pre- assembled, i.e. thin stainless steel rods have already been thread through the insulated pins and only have to be connected using the connection springs.

A complete set (sufficient for 40 running metres) comprises of:

- 40 metres of electrical system, 2- row or for guttering
- Connection springs
- Insulator heads
- Stainless steel rods

Current calibrator, high voltage cabling and other wiring is not included in a set.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Special Adhesive [S-1101], Primer [C-3101], Power Supply, 2-wire [E-0801], Digital System Tester [E-10], Warning Sign [E-1101], Rain Guard [E-12], Lightning Switch [E-13], Lightning Choke [E-14], Wire connectors, 100 pieces [N-2405], Power Monitor [E-0906]



Article- Nr.: E-0201

ColumbEx Electrical System

Complete set, light grey = 30 meters

330.23 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

Complete set, anthracite = 30 meters	348.08 €
Complete set, light grey = 30 meters	330.23 €

Article Description

The ColumbEx electrical system is an alternative solution, developed especially for high- quality Grade II listed structures. ColumbEx is easy to form.

As with conventional electrical systems the bird is repelled by an effective electric shock if it lands on the wire. The metal fence principle is used.

The important characteristics of the ColumbEx electrical system:

- The profile, made of high- quality UV- and weather resistant plastic polyethylene (PE) profile in natural or anthracite colours, is held in position by holders, which are bonded to the substrate.
- Profile holders prevent the rods from touching, thus making the system short- circuit proof.
- A current calibrator provides up to 30,000 m system length.
- The electrical system is suitable for medium to high populations of birds.

A complete set (sufficient for 30 running meters) comprises of:

- 30 m profile 50 pieces @ 1.20 m (40 pieces with 1.5 mm connector attached, 10 pieces insulated one end)
- 150 holders
- 50 connectors 1.5 mm
- 5 pairs of straightener (spring elements) including 10 attaching rings

Current calibrator, high voltage cabling and other cabling is not included in a set.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Special Adhesive [S-1101], Primer [C-3101], Power Supply, 2-wire [E-0801], Digital System Tester [E-10], Warning Sign [E-1101], Rain Guard [E-12], Lightning Switch [E-13], Lightning Choke [E-14], Power Monitor [E-0906]



Article- Nr.: E-1901

Electro system Bird- Rod

Set XL-6 / 25m

437.33 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

Set XL-4 / 40m	496.23 €
Set L-3 / 50m	486.41 €
Set M-2 / 75m	508.73 €
Set XL-6 / 25m	437.33 €

Article Description

The Bird- Rod system is a simple, but effective, electrical bird control system. The bird gets an effective electric shock on landing and is repelled. The system works on the meadow fence principle. It does not injure birds.

The system comprises of parallel metal rods assembled on UV- resistant plastic holders.

The areas protected are then always avoided by pigeon populations.

The complete sets are ready for installation.

The rods have the following dimensions: Rod 3mm x 1000mm

Different sets are:

- Set XL-6 for 25m including 6 rods - 105mm cover
- Set XL-4 for 40m including 4 rods - 65mm cover
- Set L-3 for 50m including 3 rods - 45mm cover
- Set M-2 for 75m including 2 rods - 25mm cover

Current calibrator, high voltage cabling and other wiring is not included in a set.

Accessories

Stainless steel rods - 100 pcs. [E-1905], PC base 6rows [E-1906], PC base 4rows [E-1907], PC base 3rows [E-1908], PC base 6rows [E-1909], Connection Bridge XL-6 [E-1910], Connection Bridge XL-4 [E-1911], Stainless Steel Springs 30mm [E-1912], Stainless Steel Springs 80mm [E-1913], Wire to Rod connector [E-1914], Knipex Rod cutter [E-1915], Power Monitor [E-0906]



Article- Nr.: E-21

Shock- Stick

10 sticks
299.88 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

25 sticks	687.82 €
10 sticks	299.88 €

Article Description

The Electric System Shock-Stick is a simple, but effective low- voltage electric bird control system. The bird receives an effective electric shock while sitting on the stick, which works like the fence principle. A violation of the birds is excluded.

The areas will be protected sustained from birds.

The rods have the following dimensions: 3 cm x 121 cm

The sticks can be interconnected, thus you can work with one power supply for a whole tree ore even more trees.

Different sets:

- Set 10 sticks
- Set 25 sticks


Power supply is not included in the set!

Fields of application:

- trees
- hedges
- vineyards
- fruit trees

Accessories

Special Adhesive [S-1101], Primer [C-3101], Power Supply, 2-wire [E-0801], Digital System Tester [E-10], Warning Sign [E-1101], Rain Guard [E-12], Lightning Switch [E-13], Lightning Choke [E-14], Wire connectors, 100 pieces [N-2405], Power Monitor [E-0906]



Article- Nr.: E-0701

Avishock Electrical System

Complete set, 15 m, black

807.18 € per unit

incl. 19 % VAT. plus delivery

Ex- stock

Article types:

Complete set, 15 m, stone colour	807.18 €
Complete set, 15 m, brick red	807.18 €
Complete set, 15 m, black	807.18 €

Article Description

This electrical system is very flat and discreet. The power lines are integrated into flexible and UV- resistant PVC.

Quick installation as it can be bonded to the substrate without holders. The bands are connected with plastic connectors. Changes of direction can be made with corner connectors.

A complete set (sufficient for 15 running meters) comprises of:

- 15 m PVC band
- 25 connectors (see photo 2)
- 25 corner connectors
- 30 jumpers
- 10 ring cable lugs
- 50 flat push- on contacts
- 1 control device, small 1 – 150 m (see photo 3)
- 15 m high voltage cable
- 2 one- component joint filler, transparent

For distances of more than 150m you can obtain the control device, a (150 – 300 m) large system, for a surcharge of €65.00. Please contact us for consultation.

Practical Applications:

The system in practise: [REFERENCES](#)

Accessories

Special Adhesive [S-1101], Primer [C-3101], Power Supply, 2-wire [E-0801], Digital System Tester [E-10], Warning Sign [E-1101], Rain Guard [E-12], Lightning Switch [E-13], Lightning Choke [E-14], Power Monitor [E-0906]

Delivery costs

Our delivery costs are as follows

Delivery costs by weight

COUNTRY	up to 5kg	from 5kg to 10kg	from 10kg to 20kg	from 20kg to 31,5kg
Germany	8,40 Euro incl. VAT	8,40 Euro incl. VAT	13,40 Euro incl. VAT	15,40 Euro incl. VAT
Switzerland / Norway	31,50 Euro	36,50 Euro	46,50 Euro	56,50 Euro
Austria, Belgium, Denmark, Finland, France, Greece, UK, Ireland, Italy, Netherlands, Sweden, Spain, Slovenia, Czech Republik	18,50 Euro incl. VAT	23,50 Euro incl. VAT	33,50 Euro incl. VAT	43,50 Euro incl. VAT

Its only possible to order up to 31.5 kg in the online- store. When you have a larger order, please call or email us.

--

Special delivery costs for Birdsticker:

Number of Birdsticker	national delivery	international delivery (EU)	Switzerland / Norway
1-10 Sets	2,95 Euro incl. VAT	4,95 Euro incl. VAT	4,95 Euro
11-30 Sets	3,70 Euro incl. VAT	8,50 Euro incl. VAT	8,50 Euro
31-150 Sets	8,40 Euro incl. VAT	see shipping costs package up to 5kg	
151-300 Sets	8,40 Euro incl. VAT	see shipping costs package up to 10kg	

--

For deliveries in Non EU countries you have additional duties, fees and taxes. For more information on customs duties, click [here](#).

Information on [import taxes](#).

Special tarif provisions for Switzerland at this [link](#).

Terms of delivery

Here you can view our general terms of delivery.

General terms of delivery

§1 Allgemeines

1.1 Nachstehende Allgemeine Geschäftsbedingungen gelten für alle Verträge, Lieferungen und sonstige Leistungen. Abweichenden Vorschriften des Vertragspartners widersprechen wir hiermit ausdrücklich. Die TONI Bird Control Solutions GmbH & Co. KG (nachfolgend "TONI" genannt) ist jederzeit berechtigt, diese Allgemeinen Geschäftsbedingungen einschließlich aller eventuellen Anlagen mit einer angemessenen Kündigungsfrist zu ändern oder zu ergänzen. Vorher eingehende Aufträge werden nach den dann noch gültigen alten Allgemeinen Geschäftsbedingungen bearbeitet

1.2 Sie haben die Möglichkeit, den Kaufvertrag in deutscher oder englischer Sprache abzuschließen.

§2 Angebot

Unsere Angebote sind unverbindlich. Kleine Abweichungen und technische Änderungen gegenüber unseren Abbildungen oder Beschreibungen sind möglich. Der jeweilige Katalog verliert mit Erscheinen einer Neuausgabe seine Gültigkeit.

2.1 Sollte TONI nachträglich erkennen, dass sich ein Fehler z. B. bei den Angaben zu einem Produkt, zu einem Preis oder zu einer Lieferbarkeit eingeschlichen hat, wird TONI den Kunden hiervon umgehend informieren. Dieser kann den Auftrag unter den abgeänderten Konditionen nochmals bestätigen. Andernfalls ist TONI zum Rücktritt vom Vertrag berechtigt.

§3 Bestellung, Lieferung, Versand und Zahlung

3.1 Die Darstellung der Produkte im Online- Shop stellt kein rechtlich bindendes Angebot, sondern einen unverbindlichen Online- Katalog dar. Durch Anklicken des Buttons „kaufen“ geben Sie eine verbindliche Bestellung der im Warenkorb enthaltenen Waren ab. Die Bestätigung des Eingangs Ihrer Bestellung erfolgt zusammen mit der Annahme der Bestellung nach dem Absenden per E- Mail. Mit dieser E- Mail- Bestätigung ist der Kaufvertrag zustande gekommen.

3.2 Die Lieferungs- und Zahlungsbedingungen von TONI sind im Bestellformular näher ausgewiesen. Es gibt eine Mindestbestellmenge, die jederzeit angepasst werden kann. Produkte, die im Zuschnitt oder als Sonderanfertigung bestellt werden, sind von der Rücknahme ausgeschlossen. Es bleibt uns vorbehalten, eine Teillieferung in einen für Sie zumutbaren Rahmen vorzunehmen, sofern dies für eine zügige Abwicklung vorteilhaft erscheint. Zusätzliche Versandkosten entstehen nur bei ausdrücklicher Vereinbarung.

3.3 Sie können wahlweise per Vorkasse, Zahlung mit Kreditkarte, Paypal und auf Rechnung zahlen. Für Letzteres sind die Zahlungsbedingungen im Bestellformular ausgewiesen. Die Belastung Ihres Kreditkartenkontos erfolgt mit Abschluss der Bestellung. Die Lieferung ins nichteuropäische Ausland erfolgt nur zu den von TONI vorher berechneten Versand- und Verpackungskosten.

3.4 Sie haben die Möglichkeit, den Kaufvertrag in deutscher oder englischer Sprache abzuschließen.

§4 Lieferfrist

Falls die Nichteinhaltung einer Liefer- oder Leistungsfrist auf höhere Gewalt, unvorhersehbare Hindernisse oder sonstige von uns nicht zu vertretende Umstände zurückzuführen ist, wird die Frist angemessen verlängert. Bei Nichteinhaltung der Lieferfrist aus anderen als den o. g. Gründen ist der Käufer berechtigt, schriftlich eine angemessene Nachfrist mit Ablehnungsandrohung zu setzen und nach deren erfolglosem Ablauf hinsichtlich der im Vertrag befindlichen Lieferung oder Leistung vom Vertrag zurückzutreten. Beruht die Unmöglichkeit der Lieferung auf Unvermögen des Herstellers oder unseres Zulieferers, so können sowohl wir als auch der Käufer vom Vertrag zurücktreten, sofern der vereinbarte Liefertermin um mehr als 2 Monate überschritten ist.

Schadensersatzansprüche wegen Verzug oder Unmöglichkeit bzw. Nichterfüllung, auch solche, die bis zu Rücktritt vom Vertrag entstanden sind, sind ausgeschlossen.

§5 Gefahrübergang

Verbraucher: Sofern Sie als Verbraucher handeln erfolgt die Lieferung auf Gefahr von TONI. Der Gefahrübergang an den Kunden findet gemäß §474 Abs. 2 BGB bei Übergabe der Lieferung, durch das Transportunternehmen, an den Kunden statt.

Unternehmen: Sofern Sie als Unternehmer handeln erfolgt die Lieferung der Ware auf Gefahr des Kunden. Die Gefahr geht mit Übergabe der Ware an das Transportunternehmen auf den Kunden über. Dies gilt auch, wenn TONI die Transportkosten übernommen hat. Beanstandungen wegen Transportschäden (z.B. beschädigte Verpackung beim Empfang der Ware) hat der Kunde unmittelbar gegenüber dem Transportunternehmen innerhalb der dafür vorgesehenen Fristen geltend zu machen.

§6 Gewährleistung

TONI gewährleistet, dass die verkaufte Ware zum Zeitpunkt des Gefahrüberganges frei von Material- und Fabrikationsfehlern ist und die vertraglich zugesicherten Eigenschaften hat. Die Gewährleistung beträgt 24 Monate ab Auslieferung. Bei Reklamationen muss das Kaufdatum mit einer Rechnung nachgewiesen werden. Der reklamierte Artikel muss zusammen mit einer Kopie der Rechnung, ausreichend frankiert, eingeschickt werden. TONI behält sich Abweichungen gegenüber von Shop- und/ oder Prospektabbildungen vor. Diese Abweichungen wie auch handelsübliche Abweichungen hinsichtlich Farbe, Menge oder Gewicht gelten nicht als Mängel und lösen keine Gewährleistungsansprüche aus. Die Gewährleistung erstreckt sich nicht auf den normalen Verschleiß oder die Abnutzung. Die Gewährleistung erlischt, wenn der Kunde die gelieferte Ware verändert. TONI hat während der Gewährleistungspflicht das Recht auf kostenlose Nachbesserung. Ein teilweiser oder vollständiger Austausch des Artikels ist zulässig. Werden Mängel innerhalb angemessener Frist nicht behoben, so hat der Käufer Anspruch auf Wandlung oder Minderung..

§7 Haftung

TONI übernimmt keine Haftung für gelieferte Ware, die nach der Versendung oder Abholung durch den Käufer oder Dritte verändert, umgebaut oder in sonstiger Weise manipuliert worden ist. Für Schäden jeglicher Art, die durch eine vorsätzliche oder fahrlässig vom Kunden verschuldete Beeinträchtigung der von uns gelieferten Produkte entstehen, übernehmen wir keine Haftung. Ansprüche des Kunden auf Schadensersatz, z.B. wegen Nichterfüllung, Verschulden bei Vertragsschluss, Verletzung vertraglicher Nebenverpflichtungen, Mangelfolgeschäden, Schäden aus unerlaubter Handlung und sonstigen Rechtsgründen sind ausgeschlossen. Ausnehmend davon haftet TONI beim Fehlen einer zugesicherten Eigenschaft, bei Vorsatz oder grober Fahrlässigkeit. Ansprüche aus dem Produkthaftungsgesetz sind davon nicht betroffen. TONI übernimmt weder eine Haftung für die ständige und ununterbrochene Verfügbarkeit von www.Vogelabwehr.de noch für technische oder elektronische Fehler des Online- Angebots.

§8 Eigentumsvorbehalt

Bis zur vollständigen Bezahlung bleibt die Ware Eigentum der Firma TONI.

§9 Genehmigungshinweis

Der Einsatz der bestellten Ware/ des bestellten Gerätes bedarf möglicherweise, z.B. aus bauordnungs- oder naturschutzrechtlichen Gründen, einer Genehmigung. TONI übernimmt keinerlei Gewähr bzw. Haftung dafür, dass eine etwa erforderliche Genehmigung erteilt und der Einsatz am Standort erfolgen kann.

§10 Druckfehler

Druckfehler, Fehler auf den Internetseiten sowie Preisänderungen vorbehalten. Angebot freibleibend. Außerdem distanzieren wir uns von allen weiterführenden Links (auf der gesamten Homepage und auf den Ebayseiten).

§11 Kostentragungsvereinbarung

Machen Sie von Ihrem Widerrufsrecht Gebrauch, haben Sie die regelmäßigen Kosten der Rücksendung zu tragen, wenn die gelieferte Ware der bestellten entspricht und wenn der Preis der zurückzusendenden Sache

einen Betrag von 40 Euro nicht übersteigt oder wenn Sie bei einem höheren Preis der Sache zum Zeitpunkt des Widerrufs noch nicht die Gegenleistung oder eine vertraglich vereinbarte Teilzahlung erbracht haben. Anderenfalls ist die Rücksendung für Sie kostenfrei.

§12 Jugendschutz

Der Verkauf unserer Waren erfolgt nur an volljährige, unbeschränkt geschäftsfähige Personen. Mit Aufgabe Ihrer Bestellung und der Überweisung des Betrags bestätigen Sie, dass Sie das 18. Lebensjahr vollendet haben, und dass Sie, bzw. eine volljährige Person die bestellte Ware entgegen nehmen wird. Zur Sicherstellung der gesetzlichen Verkaufsbeschränkungen ist das ausliefernde Unternehmen berechtigt, die Übergabe der Waren von der Vorlage eines Personalausweises abhängig zu machen. Der Kunde stellt TONI von Ansprüchen Dritter frei, die TONI aus der Verletzung der Verpflichtung des Kunden nach Ziffer 1 erwachsen.

Right of withdrawal

Hier können Sie unsere Allgemeinen Lieferbedingungen einsehen.

Widerrufsbelehrung

FÜR VERBRAUCHER:

Verbraucher ist jede natürliche Person, die ein Rechtsgeschäft zu Zwecken abschließt, die überwiegend weder ihrer gewerblichen noch ihrer selbständigen beruflichen Tätigkeit zugerechnet werden können.

Widerrufsrecht

Sie haben das Recht, binnen vierzehn Tagen ohne Angabe von Gründen diesen Vertrag zu widerrufen. Die Widerrufsfrist beträgt vierzehn Tage ab dem Tag, an dem Sie oder ein von Ihnen benannter Dritter, der nicht der Beförderer ist, die Waren in Besitz genommen haben bzw. hat. Um Ihr Widerrufsrecht auszuüben, müssen Sie uns (TONI Bird Control Solutions GmbH & Co. KG, Offenbacher Landstrasse 74, 60599 Frankfurt, Fax. 069 4800 9778, Mail: info@vogelabwehr.de) mittels einer eindeutigen Erklärung (z.B. ein mit der Post versandter Brief, Telefax oder E-Mail) über Ihren Entschluss, diesen Vertrag zu widerrufen, informieren. Sie können dafür das beigefügte Muster-Widerrufsformular verwenden, das jedoch nicht vorgeschrieben ist. Zur Wahrung der Widerrufsfrist reicht es aus, dass Sie die Mitteilung über die Ausübung des Widerrufsrechts vor Ablauf der Widerrufsfrist absenden.

Folgen des Widerrufs

Wenn Sie diesen Vertrag widerrufen, haben wir Ihnen alle Zahlungen, die wir von Ihnen erhalten haben, einschließlich der Lieferkosten (mit Ausnahme der zusätzlichen Kosten, die sich daraus ergeben, dass Sie eine andere Art der Lieferung als die von uns angebotene, günstigste Standardlieferung gewählt haben), unverzüglich und spätestens binnen vierzehn Tagen ab dem Tag zurückzuzahlen, an dem die Mitteilung über Ihren Widerruf dieses Vertrags bei uns eingegangen ist. Für diese Rückzahlung verwenden wir dasselbe Zahlungsmittel, das Sie bei der ursprünglichen Transaktion eingesetzt haben, es sei denn, mit Ihnen wurde ausdrücklich etwas anderes vereinbart; in keinem Fall werden Ihnen wegen dieser Rückzahlung Entgelte berechnet. Wir können die Rückzahlung verweigern, bis wir die Waren wieder zurückerhalten haben oder bis Sie den Nachweis erbracht haben, dass Sie die Waren zurückgesandt haben, je nachdem, welches der frühere Zeitpunkt ist. Sie haben die Waren unverzüglich und in jedem Fall spätestens binnen vierzehn Tagen ab dem Tag, an dem Sie uns über den Widerruf dieses Vertrags unterrichten, an uns zurückzusenden oder zu übergeben. Die Frist ist gewahrt, wenn Sie die Waren vor Ablauf der Frist von vierzehn Tagen absenden. Sie tragen die unmittelbaren Kosten der Rücksendung der Waren. Sie müssen für einen etwaigen Wertverlust der Waren nur aufkommen, wenn dieser Wertverlust auf einen zur Prüfung der Beschaffenheit, Eigenschaften und Funktionsweise der Waren nicht notwendigen Umgang mit ihnen zurückzuführen ist..

Ausschluss bzw. vorzeitiges Erlöschen des Widerrufsrechts

Das Widerrufsrecht besteht nicht bei Verträgen

- zur Lieferung von Waren, die nicht vorgefertigt sind und für deren Herstellung eine individuelle Auswahl oder Bestimmung durch den Verbraucher maßgeblich ist oder die eindeutig auf die persönlichen Bedürfnisse des Verbrauchers zugeschnitten sind;

Das Widerrufsrecht erlischt vorzeitig bei Verträgen

- zur Lieferung versiegelter Waren, die aus Gründen des Gesundheitsschutzes oder der Hygiene nicht zur Rückgabe geeignet sind, wenn ihre Versiegelung nach der Lieferung entfernt wurde;
- zur Lieferung von Waren, wenn diese nach der Lieferung auf Grund ihrer Beschaffenheit untrennbar mit anderen Gütern vermischt wurden;
- zur Lieferung von Ton- oder Videoaufnahmen oder Computersoftware in einer versiegelten Packung, wenn die Versiegelung nach der Lieferung entfernt wurde.

Widerrufsformular

Für den Widerruf können Sie auch unser Widerrufsformular nutzen (bitte auf Link klicken, ausfüllen und

Für den Widerruf können Sie auch unser Widerrufsformular nutzen (links auf einer Karte, gedruckt und zusenden).

FÜR GEWERBLICHE / KOMMUNALE KÄUFER:

Widerrufsrecht

Für gewerbliche und kommunale Kunden gewähren wir kein Widerrufsrecht.

Approval notice

Please note the following information.

Approval notice

The use of the ordered goods / the bought device may require, for example, a permit for building regulations or nature protection laws. TONI assumes no responsibility or liability for the possible need permission granted and may be of use at the site.